

09960716-092101




Figure 1

09960716-092101




Figure 2

09960715-092101




Figure 3

09960716-092101




Figure 4A

09960716-092101




Figure 4B

09960716-092101
T0T260" 9T209660

D	C	B	A	
1	1:5	2	2:5	1
3	3:5	4	4:5	2
5	5:5	6	6:5	3
7d	7n	8d	8n	4
9	9:5	10d	10n	5
11	11:5	12	12:5	6
13	13:5	14d	14n	7
15d	15n	16	16:5	8
17d	17n	18d	18n	9
19d	19n	20d	20n	1 0
21	21:5	22	22:5	1 1
23d	23n	24	24:5	1 2

Figure 5

09950715-092101





Figure 6A

09960716-09960716



Cy3 signal

Cy5 signal

Slide #2
Cy3/Cy5 ratio 2.32

Figure 6B

09960716-092101





Figure 6C

09960716-092101



Non filtered Cy3-Ag mix

Filtered Cy3 Ag-Mix

Contribution of filtration of Cy3 labeled Ag mixture on background and signal intensity

Figure 6D

101260" 91209660





Figure 7

09960716.092101




3D-Link slide

DVS slide

Figure 8


09060716.092101
TOT260"STZ09660



Costar NH2-glass

Clontech NH2-glass

Figure 9



1 h DVS

2 h DVS

3 h DVS

Figure 10

09960716-092401
TOT260-9T/09660




Figure 11

09660716-092101
T01260-9T209660





Figure 12

09960716.092101
TOT260"9T209660

Figure 13







Figure 14A

09960716-092101



Cy3
Cy5
Prelabeled antigen mixes

Figure 14B

0960716-092104

Figure
15A





Figure 15B






Figure 16

09960716-092101

Figure
17A




Figure 17B

09960716-092101

0960716-0960716




Figure 18